



VIKING Liferrafts

Technical Information



VIKING LIFE-SAVING EQUIPMENT
- Protecting people and business

Open reversible liferafts (DKR)

USCG Inflatable buoyant apparatus (IBA)



For passenger ships and ferries operating in inland and coastal waters.


Emergency pack according to High Speed Craft code.

DKR, IBA and RDV liferafts are available in the following sizes: 6, 12, 20, 25, 50, 100 and 150 persons

Container

Liferaft

150 DKR, Open reversible liferaft (IBA)




Approx. size of container in mm

Approx. weight kg

Pack type HSC


	A	B	C	D	
150 DKR	2006	1047	1055	-	490

150 DKR, Open reversible liferaft (IBA)



Container

100 DKR, Open reversible liferaft (IBA)




Approx. size of container in mm

Approx. weight kg

	A	B	C	D	Pack type HSC
100 DKR	1550	890	920	-	330

65 DKR, Open reversible liferaft (IBA)




Approx. size of container in mm

Approx. weight kg

	A	B	C	D	Pack type HSC
50 DKR	1385	735	790	-	179*

25 DKR, Open reversible liferaft (IBA)




Approx. size of container in mm

Approx. weight kg


	A	B	C	D	Pack type HSC
25 DKR	1355	565	650	-	93*

Liferaft


100 DKR, Open reversible liferaft (IBA)



65 DKR, Open reversible liferaft (IBA)



25 DKR, Open reversible liferaft (IBA)



* Can be mounted on a standard deck cradle as the weight is below 185 kg.

Storage racks



Flexible storage and easy handling with minimal crew


VIKING has developed a range of liferaft racks as a flexible storage alternative to traditional cradles.

Our racks are constructed for flexible integration with modern ship design, increasing the number of possible installation locations. Optional remote release systems also allow liferaft containers to be stored in otherwise inaccessible locations.

Racks can be operated by a single crew member for a faster and more effective launch, as liferafts in racks do not need to be lifted.

Racks are available in galvanised stainless steel or aluminium. Custom-made racks can also be supplied upon request.


Rack for liferaft containers



Approx. size of rack system

	A	B	C	D	Pack type
10 DK	1355	800	911	760	A+B
12 DK	1355	800	911	760	A+B
16 DK	1335	835	1017	760	A+B
20 DK	1335	835	1017	760	A+B
25 DK	1385	835	1063	760	A
25 DK	1335	835	1017	760	B
35 DK	1550	955	1266	820	A
35 DK	1465	955	1198	820	B
25 DKS	1450	955	1179	820	A+B
50 DKS	1865	955	1225	1050	A
50 DKS	1550	955	1262	820	B
50 DKS	1710	955	1170	1050	B
100 DKS	1980	1365	1722	1090	A
100 DKS	1934	1145	1522	1190	B
150 DKS	1980	1365	1722	1090	B
12 DKR	1155	720	874	520	HSC
20 DKR	1355	800	911	760	HSC
25 DKR	1355	800	911	760	HSC
50 DKR	1385	835	1063	760	HSC
100 DKR	1550	955	1266	820	HSC
150 DKR	1934	1150	1522	1190	HSC


Ramp for liferaft containers



Approx. size of ramp system

	A	B	C	D	Pack type
16 DK	1335	1555	1400	760	A + B
20 DK	1335	1555	1400	760	A + B
25 DK	1385	1555	1400	760	A
25 DK	1335	1555	1400	760	B

Ramp for liferaft containers



Approx. size of ramp system

	A	B	C	D	Pack type
16 DK	1335	2280	1740	780	A + B
20 DK	1335	2280	1740	780	A + B
25 DK	1385	2280	1780	780	A
25 DK	1335	2280	1740	780	B